

ANNEXURE –V
CLINICAL MATERIAL
HOSPITAL

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2023 - 2024

Clinical Material in Hospital

Faculty ...PHYSIOTHERAPY

Name of College/Institute DHANESHWARI COLLEGE OF PHYSIOTHERAPY

Sr. No.	Particulars to be verified	Adequate / Inadequate																																																				
a.	There must be a parent Hospital with minimum 300 beds Indoor & Outdoor Facility with Physiotherapy exposure in the broad specialty areas including Intensive care to provide practical experience to the student.:	Adequate																																																				
b.	The student to patient ratio should be minimum 1:5, the first part being student & second part patient.	1:5																																																				
c.	The desirable breakup of beds shall be as follows : Student Patient Ratio (as per M.S.R., it must be 1:5) :																																																					
	<table border="1"> <thead> <tr> <th>Sr.No.</th> <th>Specialty</th> <th>For 30 & 60 Intake</th> <th>For 100 Intake</th> </tr> </thead> <tbody> <tr> <td>01</td> <td>General Medicine</td> <td>60</td> <td>90</td> </tr> <tr> <td>02</td> <td>General Surgery</td> <td>60</td> <td>90</td> </tr> <tr> <td>03</td> <td>Orthopedics</td> <td>60</td> <td>90</td> </tr> <tr> <td>04</td> <td>Obst & Gynac</td> <td>30</td> <td>60</td> </tr> <tr> <td>05</td> <td>Pediatrics</td> <td>30</td> <td>60</td> </tr> <tr> <td>06</td> <td>Medical ICU</td> <td>10</td> <td>15</td> </tr> <tr> <td>07</td> <td>Surgical ICU</td> <td>10</td> <td>15</td> </tr> <tr> <td>08</td> <td>PICU + NICU</td> <td>10</td> <td>15</td> </tr> <tr> <td>09</td> <td>ICCU + RICU</td> <td>10</td> <td>10</td> </tr> <tr> <td>10</td> <td>Burns Unit / ICU</td> <td>10</td> <td>05</td> </tr> <tr> <td>11</td> <td>Emergency</td> <td>10</td> <td>10</td> </tr> <tr> <td colspan="2" style="text-align: center;">Total</td> <td>300</td> <td>450</td> </tr> </tbody> </table>	Sr.No.	Specialty	For 30 & 60 Intake	For 100 Intake	01	General Medicine	60	90	02	General Surgery	60	90	03	Orthopedics	60	90	04	Obst & Gynac	30	60	05	Pediatrics	30	60	06	Medical ICU	10	15	07	Surgical ICU	10	15	08	PICU + NICU	10	15	09	ICCU + RICU	10	10	10	Burns Unit / ICU	10	05	11	Emergency	10	10	Total		300	450	
Sr.No.	Specialty	For 30 & 60 Intake	For 100 Intake																																																			
01	General Medicine	60	90																																																			
02	General Surgery	60	90																																																			
03	Orthopedics	60	90																																																			
04	Obst & Gynac	30	60																																																			
05	Pediatrics	30	60																																																			
06	Medical ICU	10	15																																																			
07	Surgical ICU	10	15																																																			
08	PICU + NICU	10	15																																																			
09	ICCU + RICU	10	10																																																			
10	Burns Unit / ICU	10	05																																																			
11	Emergency	10	10																																																			
Total		300	450																																																			
d.	Student : Bed Ratio (Undergraduate) :	1:5																																																				
e.	Average Bed Occupancy in % :	60%																																																				
f.	Whether separate Registration room is available at OPD? a. Number of total patients registered in last Year : b. Number of New Patients registered on daily average : c. Number of Old patient registered on daily average : d. Average Number of patients attending OPD (current year) : e. Whether records of patient registration are well maintained :	Adequate																																																				
g.	Indoor Physiotherapy Department Areas as per Clinical Load and Intake : (as per M.S.R.) Clinical Load, Total Strength of Hospital Beds, Outdoor Physiotherapy Load per specialty, Indoor Physiotherapy Load per Specialty, Student : Patient ratio per specialty.	Adequate																																																				
h.	Outdoor Physiotherapy Department Areas as per Clinical Load and Intake : (as per M.S.R.)	Adequate																																																				
i.	Physiotherapy OPD Services (as per M.S.R.) : The hospital shall have functional physiotherapy department providing services on outpatient & in patient department at least since 12 Months prior application & shall maintain required OPD and IPD records for verification.	Adequate																																																				
	<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be mark as "Inadequate" with evidence. 																																																					





 Dean/ Principal Stamp & Signature


 Principal
 Dhanehwari Physiotherapy College
 General Tarda, Palthen Road, Aurangabad


HOSPITAL			
16	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : ORION CITY CARE SUPERSPECIALITY HOSPITAL	Yes	Adequate
	Bed Strength : <u>102</u>		
	Number of beds registered as per BNH act:		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) : 2103.11 Sq.feet	Yes	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Yes	Adequate
c.	Whether Casualty is available and functional :	Yes	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		Adequate
19	Ambulances : Owned, Hired		
	Any other		
	<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 		

HOSPITAL			
16	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : Waluj Hospital	Yes	Adequate
	Bed Strength : <u>60</u>		
	Number of beds registered as per BNH act:		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) : ...1184.43 Sq.Feet	Yes	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Yes	Adequate
c.	Whether Casualty is available and functional :	Yes	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		Adequate
19	Ambulances : Owned, Hired		
	Any other		
	<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 		


Principal
 Dhanehwari Physiotherapy College
 Georai Tanda, Pathan Road, Aurangabad

HOSPITAL			
16	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : CENTURY HOSPITAL	Yes	Adequate
	Bed Strength : <u>50</u>		
	Number of beds registered as per BNH act:		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) :1284.43 Sq.Feet	Yes	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Yes	Adequate
c.	Whether Casualty is available and functional :	Yes	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		
19	Ambulances : Owned, Hired		
	Any other		
	<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 		

HOSPITAL			
16	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : ENDO WORLD HOSPITAL	Yes	Adequate
	Bed Strength : <u>100</u>		
	Number of beds registered as per BNH act:		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) : 3700 Sq.Feet	Yes	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Yes	Adequate
c.	Whether Casualty is available and functional :	Yes	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		
19	Ambulances : Owned, Hired		
	Any other		
	<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 		


Principal
 Dhanshri Physiotherapy College
 Geeral Tanda, Pathan Road, Aurangabad

HOSPITAL			
16	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : HAPPY FAMILY HOSPITAL	Yes	Adequate
	Bed Strength : <u>30</u>		
	Number of beds registered as per BNH act:		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) : 1100 Sq.Feet	Yes	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Yes	Adequate
c.	Whether Casualty is available and functional :	Yes	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		Adequate
19	Ambulances : Owned, Hired		Owned
	Any other		
	<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. • If Infrastructure is available, then mark "Adequate" & do not attach any documents. • In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 		

R. S. Shinde


Principal
Dhaneshwari Physiotherapy College
Georai Tanda, Pathan Road, Aurangabad

Sr. No.	LIST OF THE HOSPITAL ATTACHED NAME OF THE HOSPITAL	NO. OF BEDS
01.	ENDO WORLD HOSPITAL	100
02.	ORION CITI CARE SUPERSPECIALITY HOSPITAL	102
03.	WALUJ HOSPITAL	60
04.	CENTURY HOSPITAL	50

R. S. Sharma

Principal
Dhaneshwari Physiotherapy College
Georai Tanda, Palthan Road, ...

Sr. No.	LIST OF THE HOSPITAL ATTACHED							
	NAME OF THE HOSPITAL	ADDRESSES	NUMBER	FAX NO	TOTAL AREA	BUILT UP AREA	NO. of Beds	EMAIL ID
01.	ENDO WORLD HOSPITAL	723 in front of airport Aurangabad	02403058501, 02403058502		5000 Sq.Ft.	3700 Sq.Ft.	100	contact@endoworldhospital.com
02.	ORION CITICARE SUPERSPECIALITY HOSPITAL	OPPOSITE KALSAGER MANGAL KARYALAY, Aurangabad			2995.39 Sq.Ft.	2103.11 Sq.Ft.	102	Orionciticare@gmail.com
03.	WALUJ HOSPITAL	TIAGAON VITLAGE WALUJ MAHANAGAR CIDCO 1 AURANGABAD			26744.61 Sq.Ft.	1184.43 Sq.Ft.	60	
04.	CENTURY HOSPITAL	OPPOSITE CENTRAL BUS STAND AURANGABAD	02402357119		2744.61 Sq.Ft.	1284.43 Sq.Ft.	50	centuryhospitalaurangabad@gmail.com



Principal
 Dhanashwari Physiotherapy College
 Georai Tanda, Pathan Road, Aurangabad

DHANESHWARI COLLEGE OF PHYSIOTHERAPY


Gevrai Tanda, Paithan Road, Aurangabad

BED DISTRIBUTION OF ATTACHED HOSPITALS

Sr. No.	Name of Department	Name of Hospital	Number of Beds	Total Beds
1	Medicine	Endoworld Hospital	35	106
		Orion Citicare	35	
		Waluj Hospital	18	
		Century Hospital	18	
2	OBGY	Endoworld Hospital	15	50
		Orion Citicare	15	
		Waluj Hospital	10	
		Century Hospital	10	
3	Orthopedic	Endoworld Hospital	10	31
		Orion Citicare	10	
		Waluj Hospital	6	
		Century Hospital	5	
4	ICU / ICCU	Endoworld Hospital	10	35
		Orion Citicare	10	
		Waluj Hospital	8	
		Century Hospital	7	
5	Surgical	Endoworld Hospital	15	43
		Orion Citicare	18	
		Waluj Hospital	5	
		Century Hospital	5	
6	Pediatrics	Endoworld Hospital	6	20
		Orion Citicare	6	
		Waluj Hospital	3	
		Century Hospital	5	
7	EYE / ENT	Endoworld Hospital	5	14
		Orion Citicare	4	
		Waluj Hospital	5	
		Century Hospital	0	
8	Burns & Plastic	Endoworld Hospital	4	13
		Orion Citicare	4	
		Waluj Hospital	5	
		Century Hospital		
TOTAL NUMBER OF BEDS				312



A.S. Khandal
Shri Bhairavnagar Nisarg Mahavidyalaya,
Dhaneshwari College of Physiotherapy
Gevrai Tanda, Paithan Road, Aurangabad



Deogiri Nursing Home's

ENDOWORLD HOSPITAL Pvt. Ltd.

Excellence in mother & child care...

Dr. Pandit Palaskar
MD, DNBE, DFP
Dip. Endoscopy Surgery (Australia)

Dr. Rinku Palaskar
MBBS, MD

Dr. Archana Gadkari
MBBS, DGO

Gynec. Endoscopic Surgeon & IVF - ICSI Infertility Specialist

Date: 28/10/2022

To,
The Secretary / Principal,
Shri Bhairavnath Nisarg Mandal,
Dhaneshwari College of Physiotherapy,
Gevrai Tanda, Paithan Road,
Aurangabad.

Subject: Allotment of Clinical field of our Hospital.

Respected Sir,

With reference to your request letter, we hereby allow the clinical field our Hospital (with 100 beds) to your students, namely, Dhaneshwari College of Physiotherapy, Gevrai Tanda, Paithan Road, Aurangabad. This clinical experience will be provided as per the syllabus of Physiotherapy of Maharashtra University of Health Sciences, Nashik.

Hence, the hospital has No objection for the same.

Thanking You.

Yours' Sincerely

DIRECTOR
DR. PANDIT PALASKAR
ENDOWORLD HOSPITAL PVT. LTD.

723, In front of Airport, Chikalhana, Aurangabad-431007, Maharashtra, INDIA
Ph. : 0240-3058500 | 0240-3058501 Mob. : +91-9422235934 | 9422712637
Email : contact@endoworldhospital.com | dr@endoworldhospital.com
Website : www.endoworldhospital.com | www.panditpalaskar.com

Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Paithan Road, Aurangabad



जिल्हा महाराष्ट्र MAHARASHTRA
कार्यालय औरंगाबाद
03 APR 2023
मुद्रांक प्रमुख लिपीक
व.को.अ. ३

दिनांक 2022

29AA 127415

7318123
बसले

जाणाकरित

Pratapsinh Vedprakash Patil


Pratapsinh

Pratapsinh

प्रमोद म. कुलकर्णी
मुद्रांक लिपीक
एन-६, तिळको, औरंगाबाद
Licence No. 3101058

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 27th Day of January month 2023 Year between Endoworld Hospital Pvt. Ltd, Chikalthana, Aurangabad which is represented by the Director, herein named as Party One and Shri Bhairavnath Nisarg Mandal's, Dhaneshwari College of Physiotherapy, Gevrai Tanda, Paithan Road, Aurangabad represented by its Secretary, Dr. Pratapsinh Vedprakash Patil herein named as Party Two.




R. S. Nisarg

Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Paithan Road, Aurangabad



Municipal Corporation Aurangabad
(Health Dept.)



Certificate of Registration

Under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
FORM 'C' (Under Rule 5)

294

This is to certify that Shri / Shrimati Dr. Pandit Annaxao
Palaskar

has been registered under the Bombay Nursing Homes Registration Act, 1949
in respect of Name of Nursing Home Endoworld Hospital
Pvt. Ltd.

situated at 723, In front of Airport,
Chikalthana Aurangabad.

and has been authorised to carry on the said Nursing Home.

Registration No. : 551 Maternity 100 Cots

Date of Registration : 11/9/15

Date of Issue : 03/5/21 Other Nursing Patients 10 Cots

This Certificate shall be valid upto 31st March. 2024



Dr. Neeta Padalkar
Medical Officer of Health
Municipal Corporation, Aurangabad.

R. S. Langote

Principal
Dhaneshwari Physiotherapy College
Geeral Tanda, Palthan Road, Aurangabad

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515

Website: mpcb.gov.in

E-mail: pso@mpcb.gov.net



Kalpataru Point, 2nd - 4th Floor,

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai - 400 022

Red/LSI

Consent No: Format 1.0/BO/PSO/HOD- 2002000504

Date: 11/07/2020.

To,
M/s. Endoworld Hospital Pvt. Ltd.,
Gut No.723, In front of Airport,
Chikhalthana,
Aurangabad.
(Email: santoshdabhadkar@yahoo.com)

Sub : Combined Consent to Operate & BMW authorization under RED Category.
Ref : 1) Your BMW Authorization & Consent application submitted to MPCB, HQ, Sion,
Mumbai on 14/10/2019.
2) SRO, Aurangabad - I report dated 06.12.2019.

Combined Consent to Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes Rules 2016 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:


- The conditional Consent to Operate is granted for the period from 01.10.2019 to 01.10.2024.
- The capital investment of the HCE is Rs. 12.70 Crore.
(As per C. A. certificate submitted)
- The Consent is valid for the Activity of -

Sr. No.	Activity	Beds
1	Hospital	100 Nos.
	a) Total Plot Area	4950.00 sq. mtrs
	b) Total Built up Area	3711.98 sq. mtrs

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	--	As per Schedule -I	50% treated effluent recycle & reuse for gardening, cleaning & flushing & remaining discharge into Municipal sewer.
2.	Domestic effluent	25.0	As per Schedule -I	

M/s. Endoworld Hospital Pvt. Ltd., Aurangabad.


Principal
Dhanashwari Physiotherapy College
General Tarda, Palghar Road

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (200 KVA)	01 No.	As per schedule - II

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/Year	--

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
9. This consent is issued subject to conditions mentioned below,
- The " authorized Person " M/s. Endoworld Hospital Pvt. Ltd., Auragabad shall comply with the provisions of the Environment (Protection) Act, 1986, and Rules made there under.
 - Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
 - If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.
 - You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 30th June every year.
 - You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;
 - You shall establish Bar code system within one year.
 - You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;

- (viii) You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.
- (ix) As per the report of SRO, Aurangabad - I, Bank Guarantee of Rs. 50,000/- submitted towards O & M of combined wastewater treatment plant to achieve prescribed discharge standards is eligible to forfeit & shall submit double Bank Guarantee of Rs. 1.0 lakh which has continues compliance period. Also Bank Guarantee of Rs. 50,000/- submitted towards segregation & handle BMW as per rules is eligible to forfeit & shall submit double Bank Guarantee of Rs. 1.0 lakh towards providing separate storage facility for BMW as per CPCB guideline, which has compliance period of Three months. Bank Guarantees are submit to Regional Office, Aurangabad,
- (x) You shall submit separate Bank Guarantee of Rs. 1,00,000/- towards compliance of condition mentioned at Annexure - IV to Regional Office, Aurangabad within 15 days.
- (xi) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Aurangabad for verification purpose.
- (xii) You shall submit application for renewal of Combined Consent and Biomedical waste authorization before 120 days along with appropriate fees.

For and on behalf of the
Maharashtra Pollution Control Board

(Dr. A. R. Supate)
Principal Scientific Officer

Received Consent / Authorization fee of -

Sr. No.	Amount (₹)	Dr no.	Date
1	2,50,000.00		
2	25,000.00		


At the time of CCA granted on 28.02.2017 the fees of Rs. 40,000/- was remained, out of which Rs. 25,000/- is considered for increase in Capital Investment i.e. from 4.75 cr. to 12.70 cr. & remaining fees of Rs. 15,000/- will be consider at the time of renewal.

Copy to:

1. Regional Officer - MPCB, Aurangabad and Sub-Regional Officer - Aurangabad - I, MPCB - They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai- for information.

M/s. Endoworld Hospital Pvt. Ltd., Aurangabad.

Page 3 of 9


Principal
Dhameshwari Physiotherapy College
Georal Tanda, Pathan Road, Aurangabad



WALUJ Hospital

Super Speciality Health Care

Plot No. 494, Gut No. 181, Tisgaon Village, Waluj Mahanagar-1, CIDCO, Tal./Dist. Aurangabad.
Tel.: 9657088881, 9657088882, E-mail : walujhospital1@gmail.com web: www.walujhospital.com

Date: 30/01/2023

To,
The Secretary / Principal,
Shri Bhairavnath Nisarg Mandal,
Dhaneshwari College of Physiotherapy,
Gevrai Tanda, Paithan Road,
Aurangabad.

Sub: Allotment of clinical field of our hospital.

Sir,

With reference to your request, we are allowing the clinical field of our hospital. (Bed strength 60 Beds) for practice experience purpose only. The hospital will not give stipend to concern students.

No objection for the clinical practice work in this hospital for practice purpose.

Thanking you.

Yours' Sincerely

For Waluj Hospital Super Speciality Health Care.

Waluj Mahanagar-1, Cidco Aurangabad

Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Paithan Road, Aurangabad

Dr. Karda Amol Madanrao
MBBS, M.D. (Gen. Med.)
Reg. No. 12-46-78



Cath Lab Assistance No. : 9067580777, 9850066007



महाराष्ट्र MAHARASHTRA

दिनांक 2023

29AA 127417

जिल्हा न्यायालय
असंख्ये १३१२२
०३ APR 2023
मुद्रांक प्रमुख न्यायिक
व.को.३.औरंगाबाद.

२५० १३१२२
वस्ते

काणाकरिन

श्री श्रीमान्
हिर

प्रमोद म. कुलकर्णी
मुद्रांक विभागा
एन-६, सिडको, औरंगाबाद
Licence No. 310105F




MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 27th Day of January month 2023 Year between Waluj Hospital, Super Speciality Healthcare, Waluj Mahanagar-1, Aurangabad which is represented by the Director, herein named as Party One and Shri Bhairavnath Nisarg Mandal's, Dhaneshwari College of Physiotherapy, Gevrai Tanda, Paithan Road, Aurangabad represented by its Secretary, Dr. Pratapsinh Vedprakash Patil herein named as Party Two.

R. S. [Signature]

Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Paithan Road, Aurangabad



महाराष्ट्र



शासन



आरोग्य विभाग जिल्हा परिषद, औरंगाबाद फॉर्म 'सी'

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन
अॅक्टच्या कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९

श्री. / श्रीमती डॉ. राहुल बाबा सोहेब जवळे नर्सिंग विभाग
पठारे यांचे नाकूज हॉस्पिटल 21st Main Road, No. 181
लि. अणानेवाड, ज. औरंगाबाद
वेधिल नर्सिंग होम / विलनीक / मॅटर्निटी होम रजिस्टर विले अन्वये अन्वये वेधिल होम / विलनीक

/ मॅटर्निटी होम / जनरल हॉस्पिटल / आय.सी.यु. कारकीर्दीत परवाना देण्यात येत आहे.

रजिस्ट्रेशन क्र : 104 प्रमुलीसाठी कॉर्टम् : 04

रजिस्ट्रेशन दि. : 20/11/2022 इतर रजिस्ट्रेशनसाठी कॉर्टम् : 34

ठिकाण : औरंगाबाद आय.सी.यु. साठी कॉर्टम् : 22

सदरचे सर्टिफिकेटचा कालावधी दिनांक 31.03.2024 पर्यंत राहिल.

दिनांक : 20/11/2022

ठिकाण : औरंगाबाद

स्वाक्षरी
जात्या सदस्य

[Signature]
20/11/22



विभागाध्यक्ष अधिकारी
विभागाध्यक्ष औरंगाबाद

स्वाक्षरी
जात्या प्रमुख

[Signature]
20/11/22

[Signature]
Principal
Dhaneshwari Physiotherapy College
Georaj Tanda, Pathan Road, Aurangabad



Maharashtra Pollution Control Board
611222baa1afd24da82ecc3a

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I

No:- Format 1.0/PSO/UAN No.0000106856/CR 2108000560

Date: 10-8-21

To,
Waluj Hospital
P. No.494, GUT No. 181 Tisgaon village,
Cidco Mahanagar-1 Waluj
Aurangabad-431136
Email: drrahulbjawale@gmail.com
Contact No.:9823665667



Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format 1.0/BO/PSO/HOD-1804000 Date-06/04/2018
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 22/01/2021
3. SCN For Refusal Dtd. 07/06/2021

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 05-03-2021 To 04-03-2024
2. The capital investment of the HCF is ₹219.02 Lakhs (As per C.A Certificate submitted by HCF)
3. HCF Area: - Plot Area 2674.61 M² with Built-up area 1184.43 M².
4. **Activities Included**
A. Total Number of Beds : 99 Nos (As per BNH certificate no. 139/2020-21 valid upto 31-03-2023)
I. General Beds : 50 Nos
II. ICU/ICU Beds : 34 Nos
III. Maternity Beds : 15 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 10.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

W:\np\mpcb\CA\UAN No. MP-CB-CONSENT-0000106856 [10-08-2021 11:02:46 AM] QMS.P04.F0200

Page 1 of 11

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/57d7a8be9c0229d12aa0312685dca80280257ee7c356689c46667e68a6fb4199>

CS CamScanner

Principal
Dhaneshwari Physiotherapy College
Georal Tanda, Patthen Road, Aurangabad

2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set and Boiler(s) as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set and Boiler(s) as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity (MT/Annum)	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	CHWTSDF

8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF Water Grace Products Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

Maharashtra Pollution Control Board
611222baa1afd24da82ecc3a

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

For and on behalf of the
Maharashtra Pollution Control Board.

(Dr. A. R. Supate)
Principal Scientific Officer

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	TXN2101002258	22/01/2021	Online Payment
2	15000.00	TXN2101002283	23/01/2021	Online Payment


Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Aurangabad I
- You are directed to ensure the compliance of the consent conditions and BG imposed.
2. Chelf Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

W:\mg Hospital\CR\UAR No. MPCB-CONSENT-0000106114 (10-08-2021 11:02:46 am) \GMS.P04 702/00

Page 2 of 10

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ecmpcb.in/docs/57d7a8be9c0229d12aa0312685dca80280257ee7c356689c46667e68a6fb4199>


Principal
Dhanashwari Physiotherapy College
Georai Tanda, Pathan Road, Aurangabad

CS CamScanner

Date:- 29.10.2022

To,
The Secretary / Principal,
Shri Bhairavnath Nisarg Mandal,
Dhaneshwari College of Physiotherapy,
Gevrai Tanda, Paithan Road,
Aurangabad.

Subject: Allotment of Clinical field of our Hospital.


Respected Sir,

With reference to your request letter, we hereby allow the clinical field from our Hospital (with 50 beds) to your students, namely, Dhaneshwari College of Physiotherapy, Gevrai Tanda, Paithan Road, Aurangabad. This clinical experience will be provided as per the syllabus of Physiotherapy of Maharashtra University of Health Sciences, Nashik.

Hence, the hospital has No objection for the same.

Thanking You.

Yours' Sincerely



Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Paithan Road, Aurangabad





जिल्हा महानगर कार्यालय
महाराष्ट्र
ऑरंगाबाद
03 APR 2023
मुद्रांक प्रमुख लिपीक
व.को.अ.ऑरंगाबाद.

हस्तो

दिनांक 03/04/2023
9314123
क्रमांक

सह सचिव


29AA 127414
प्रमोद म. कुलकर्णी
मुद्रांक वि.के.ता
एन.६, सिवको, ऑरंगाबाद
Licence No. 3101056

Pratapsinh Vedprakash Patil

Pratapsinh Vedprakash Patil

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 27th Day of January month 2023 Year between Century Hospital, Aurangabad which is represented by the Director, herein named as Party One and Shri Bhairavnath Nisarg Mandal's, Dhaneshwari College of Physiotherapy, Gevrai Tanda, Paithan Road, Aurangabad represented by its Secretary, Dr. Pratapsinh Vedprakash Patil herein named as Party Two.




R.S. Nisarg
Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Paithan Road, Aurangabad



Municipal Corporation Aurangabad
(Health Dept.)



Certificate of Registration



Under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
FORM 'C' (Under Rule 5)

434

This is to certify that Shri / Shrimati Dr. Saarang Subhash Deoge

has been registered under the Bombay Nursing Homes Registration Act, 1949

in respect of Name of Nursing Home Centuey multispeciality

Hospital (Aurangabad) Pvt. Ltd.,

situated at Plot No. 21, Nehru Place, Kotwalpura,

Aurangabad.

and has been authorised to carry on the said Nursing Home.

Registration No. : 387

Maternity

00 Cots


Date of Registration : 14/03/2007


Date of Issue : 18/05/2022

Other Nursing Patients

34 Cots

This Certificate shall be valid upto 31st March.2025


Dr. Paras Mandlecha
Medical Officer of Health
Municipal Corporation, Aurangabad.


Principal
Dhaneshwari Physiotherapy College
Georal Tanda, Pathan Road, Aurangabad

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0240-2473461
Fax : 0240-2473462
Email : roaurangabad1@mpcb.gov.in
Website : <http://mpcb.gov.in>



Regional Office,
Paryavaran Bhavan, A - 4/1, MIDC Area,
Chikalthana, Near Seth Nandlal Dhoot Hospital,
Jalna Road,
Aurangabad - 431210

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorization for Generation of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorisation and date of issue

II. RO-AURANGABAD/ABD/BMW-AUTH/ 210500626 Date: 29/04/2021

II. M/s. Century Multispeciality Hospital Pvt. Ltd. is hereby granted an authorization for generation of biomedical waste on the premises situated At Opp. Century Bus Stand, Behind Ajinkya Hotel, Aurangabad Authorization shall valid for a period up to 31.03.2026. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.

IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 49

Terms and Conditions of authorization

1. The "authorized Person" **Dr. Sarang Subhash Deore**, shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority i.e. Member Secretary, MPCB.
3. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
4. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste Categories and quantities listed here in below:

Category	Type of Waste	Type of Bag or Container to be used	Quantity Kg/Month	Treatment and Disposal options
1	2	3	4	5
Yellow	(a) Human Anatomical Waste: Human tissues, organs, body parts and fetus below the viability period (as per the Medical Termination of Pregnancy Act 1971, amended from time to time).	Yellow coloured non-chlorinated plastic bags	0.5	CBMWTSDF, Aurangabad
	(b) Animal Anatomical Waste: Experimental animal carcasses, body parts, organs, tissues, including the		...	

MPCB-CONSENT-000033030

1



"Your service is our Duty"

Principal
Dhaneshwari Physiotherapy College
Georal Tanda, Pathan Road, Aurangabad

	(h) Microbiology, Biotechnology and other clinical laboratory waste: Blood bags, Laboratory cultures, stocks or specimens of microorganisms, live or attenuated vaccines, human and animal cell cultures used in research, industrial laboratories, production of biological, residual toxins, dishes and devices used for cultures.	Autoclave safe plastic bags or containers		
Red	Contaminated Waste (Recyclable) (a) Wastes generated from disposable items such as tubing, bottles, intravenous tubes and sets, catheters, urine bags, syringes (without needles and <i>fixed needle syringes</i>) and vaccutainers with their needles cut) and gloves.	Red coloured non-chlorinated plastic bags or containers	2.0	CBMWTSDF, Aurangabad
White (Translucent)	Waste sharps including Metals: Needles, syringes with fixed needles, needles from needle tip cutter or burner, scalpels, blades, or any other contaminated sharp object that may cause puncture and cuts. This includes both used, discarded and contaminated metal sharps	Puncture proof, Leak proof, tamper proof containers	2.0	CBMWTSDF, Aurangabad
Blue	(a) Glassware: Broken or discarded and contaminated glass including medicine vials and ampoules except those contaminated with cytotoxic wastes.	Cardboard boxes with blue colored marking	CBMWTSDF, Aurangabad
	(b) Metallic Body Implants	Cardboard boxes with blue Coloured marking	CBMWTSDF, Aurangabad

No onsite treatment of BMW is permitted. The above-mentioned Bio Medical Waste shall be sent to Common BMW Treatment and Disposal facility authorized by MPCB for Aurangabad i.e. M/s. WATERGRACE PRODUCTS, COMMON BIO MEDICAL WASTE MANAGEMENT PROJECT, At Gevrai Tanda, Patoda Shivar, Paithan Road, Aurangabad.

5. The liquid / solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

6. i) BMW shall not be mixed with other wastes or reused or solid in any form.
 (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.



Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount	Bank Guarantee(s) validity
I (A)	Operation and Maintenance			
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-	31/07/2026
I (B)	Records			
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31 st January	Continuous	15,000/-	31/07/2026
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000/-	31/07/2026
II	Performance			
1	To provide Separate BMW storage facility, As per guidelines of CPCB.	Continuous	25,000/-	31/07/2026
		Total	75,000/-	

The above Bank Guarantee(s) shall be submitted by the applicant to be drawn in favor of Regional Officer, Maharashtra Pollution Control Board, and Aurangabad within 15 days of the date of issue of BMW Authorization.

11. The Board reserves the right to review, amend, suspend, revoke etc. this authorization and same shall be binding on the hospital authority.
12. This authorization should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
13. The BMW authorization is granted subject to comply the BMW Rule & Amended thereof & to upload BMW Data/Information in COVID APP as per the direction of CPCB, if applicable.

(Dr. P. M. Joshi)

Regional Officer, Aurangabad

To,
M/s. Century Multispeciality Hospital,
At Opp. Century Bus Stand, Behind Ajinkya Hotel,
Aurangabad.

Authorization Fees Received: -

Sr no	Unique No	Description	Payment added	Transaction number	Transaction Date
1	BMW fees	12,500/-	TXN2103001886	16-03-2021

Copy to:

- 1] Sub-Regional Officer, MPCB, Aurangabad-
- For information & with instructions to monitor the necessary compliance of the conditions stipulated
- For information & with instructions to monitor the necessary compliance of the conditions stipulated in the Letter of Authorization.
- 2] Chief Accounts Officer, MPCB, Mumbai.

MPCB-CONSENT-000033030

5



"Your service is our Duty"

A. Shrinani
Principal
Dhanshri Physiotherapy College
General Tenda, Pathan Road



ORION CITICARE
SUPER SPECIALITY HOSPITAL
अभ्रान्तरिभ्रान्तरि सुपर स्पेशलिटी हॉस्पिटल

Date : - 20.01.2023

To,
The Secretary/Principal,
Shri. Bhairavnath Nisarg Mandal,
Dhaneshwari College of Physiotherapy,
Gevrai Tanda, Paithan Road,
Aurangabad.

Subject: Allotment of Clinical field of our Hospital


Respected Sir,

With reference to your letter, we hereby allow the clinical field our Hospital (with 102 beds) to your students, namely, Dhaneshwari College of Physiotherapy, Gevrai Tanda, Paithan Road, Aurangabad. This clinical experience will be provided as per the syllabus of Physiotherapy of Maharashtra University of Health Sciences, Nashik.

Hence, the hospital has No objection for the same.


Thanking You.

Yours Sincerely


Dr. Virendra Wadgaonkar
CEO




Dr. Ashish Deshpande
CMD


Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Paithan Road, Aurangabad



जिल्हा महाराष्ट्र MAHARASHTRA
कार्यालय औरंगाबाद
03 APR 2023
मुद्रांक प्रमुख लिपीक
व. को. अ. औरंगाबाद.

2022
दिनांक किंमत

29AA 127416

प्रमोद म. कुलकर्णी
मुद्रांक जिल्हा
एन-६, सिवको, औरंगाबाद
Licence No. 3104056

४४२ १३१४४३
वस्तु

कोणाकरिता
Dr. Pratapsinh Vedprakash Patil
Patil

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 25th Day of January month 2023 Year between Orion Citicare, Super Speciality Hospital, Aurangabad which is represented by the Director, herein named as Party One and Shri Bhairavnath Nisarg Mandal's, Dhaneshwari College of Physiotherapy, Gevrai Tanda, Paithan Road, Aurangabad represented by its Secretary, Dr. Pratapsinh Vedprakash Patil herein named as Party Two.

Dr. S. Bhairavnath

Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Paithan Road, Aurangabad





महानगरपालिका अहमदाबाद

(आरोग्य विभाग)

Municipal Corporation Aurangabad
(Health Dept.)

2166 Certificate of Registration

Under Section 5 of the

Bombay Nursing Homes Registration Act, 1949

FORM 'C' (Under Rule 5)

This is to certify that Shri. Sanjiv Dr. Yogesh
Baliram Vargantwar

has been registered under the Bombay Nursing Homes Registration Act, 1949 in
respect of Name of Nursing Home Oxilion Citicare Super-
Speciality Hospital
situated at New Osmanpura, Aurangabad.
and has been authorised to carry on the said Nursing Home.

Registration No. 425 Maternity 00 Cots

Registration 30/9/08 Other Nursing Patients 102 Cots

Certificate shall be valid upto 31st March. 2025

Date of Issue: 10/2/22

[Signature]
Medical Officer of Health
Municipal Corporation Aurangabad

[Signature]
Principal
Dhaneshwari Physiotherapy College
Georai Tanda, Pathan Road, Aurangabad

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701
 Fax: 24024068 /24023515
 Website: <http://mpcb.gov.in>
 E-mail: mpcb@vsnl.net



Kalpataru Point, 2nd - 4th Floor,
 Opp. Cine Planet Cinema,
 Near Sion Circle, Sion (E)
 Mumbai - 400 022

Date: 06/05/2020

Red/LSI

Consent Nos/Format I.O/BO/PSO/CC-1905000329

To,
 M/s. Orion Citicare Superspeciality Hospital
 5/5/70, New Osmanpura Krantichowk,
 Aurangabad-431005

Sub : Combined Consent to Establish, Operate & BMW Authorization under RED Category.

Ref : 1. Your BMW Authorization & Consent application submitted to MPCB, HQ, Sion, Mumbai on 30/11/2018
 2. Report submitted by SRO- Aurangabad-I
 3. Minutes of 7th CC meeting held on 28.12.2018
 5. SCN for Refusal issued on 07.01.2019
 6. This office email on 25.03.2019
 7. Personal hearing extended on 29.03.2020
 8. Documents submitted by applicant on 29.03.2020

Consent to Establish & Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes Rules 2016 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

- The conditional consent to establish & operate is granted for period from 16.08.2020 to 16.08.2023
- The capital investment of the HCE is Rs. 6.49 Crore.
(As per C. A. Certificate submitted)
- The Consent is valid for the Activity of -

Sr. No.	Activity	Beds
1	Hospital	102 Nos.
	a) Total Plot Area	1995.39 sq. mtrs
	b) Total Built up Area	2103.11 sq. mtrs

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	-	As per Schedule -I	On land for gardening
2.	Domestic effluent	20.0	As per Schedule -I	

- Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (320.0 KVA)	1 No.	As per Schedule - II

M/s Orion Citicare Superspeciality Hospital, Aurangabad

- (x) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Aurangabad for verification purpose.
- (xi) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees

For and on behalf of the
Maharashtra Pollution Control Board

(E Ravendiran, IAS)
Member Secretary

Received Consent / Authorization fee of -

Sr. No.	Amount (₹)	Dr no.	Date
1	50,000/-	TXN1804002506	23.04.2018
2	10,000/-	TXN1806000496	06.06.2018

Copy to:

1. Regional Officer - MPCB , Aurangabad and Sub -Regional Officer - Aurangabad I, MPCB - They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai- for information.

Schedule-II

Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/M
1	D.G. Set (320.0 KVA)	5.0	Diesel	40.0

2. The applicant shall provide stack of adequate height to operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

Schedule-IV : Bank Guarantees

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. Oriion Citicare Superspeciality Hospital, Aurangabad

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000/-
2	Operation and Maintenance of combined waste water treatment plant to achieve prescribed discharged standards	Continuous	50,000/-
I (B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 30th June	Continuous	25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000/-
II	Performance		
1	To provide separate BMW storage facility as per CPCB guidelines	Six	50,000/-
2	To install STP for treatment of sewage	Three	1,00,000/-
		Total	3,00,000/-
Rupees Three Lakhs only			

Note : You shall submit the B.G. valid for additional 4 month period after the validity of your granted CCA.

- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 14) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) You should not cause any nuisance in surrounding area.
- 16) You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 17) You shall maintain good housekeeping.
- 18) You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office, Aurangabad by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 20) You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions, or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 21) You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 22) You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
- 23) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
- 24) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

-----0000-----


Annexure- V

Dhaneshwari College of Physiotherapy, Gevrai Tanda, Chhatrapati Sambhajinagar

Patient/OPD Details (June 2022- June 2023)

Whether separate Registration room is available at OPD	Yes
a. Number of total patients registered in last year	5,811
b. Number of New Patients registered on daily average	5-6
c. Number of Old patients registered on daily average	15-16
d. Average Number of patients attending OPD (Current year)	130-140
Whether records of patient registration are well maintained	Yes

Note: all the details regarding old & new patients count are calculated using data of own OPD.


Dr. R.S. Gangatharan

Principal
Dhaneshwari Physiotherapy College
Gevrai Tanda, Palthan Road, Aurangabad